





THIS DRAWING IS UNPUBLISHED. RELEASED FOR PUBLICATION
 © COPYRIGHT - BY - ALL RIGHTS RESERVED.


LOC	DIST	REVISIONS			
P	LTR	DESCRIPTION	DATE	DWN	APVD
AL	2	M4	REVISED PER ECR-16-008286	27JUN2016	BW RS



NOTES:

Bemerkungen:

- 1 2-6 µm Sn OVER Ni IN CRIMP-AREA
2-6 µm Sn über Ni in der Crimpzone
- 2 0.8 µm Au OVER Ni IN CONTACT-AREA
0.8 µm Au über Ni in der Kontaktzone
- 3 SUITABLE FOR Ø1.0-2.5mm
Für Isolations Ø1.0-2.5mm geeignet
- 4 0.8 µm Au OVER 1.3 µm Ni ON INSIDE OF WIRE BARREL AND CONTACT AREA
0.8 µm Au über 1.3 µm Ni in der Drahtcrimp und Kontaktzonen, sonst 1.3 µm Ni



Superseded by 350536-6
OBSOLETE

SUPERSEDED BY 350536-2

REELING	LOOSE PIECE	PART NO.	MATERIAL	FINISH
107-3. FIG.2		926882-8	BRASS	PRE-TIN
107-3. FIG.1	926893-7	926884-7	BRASS	1 2
107-3. FIG.1	926893-6	926884-6	PHOS BRONZE	1 2
107-3. FIG.1	926893-5	926882-5	COPPER ALLOY	PRE-TIN
107-3. FIG.1	926893-4	926882-4	COPPER ALLOY	PLAIN
107-3. FIG.1	926893-3	926882-3	PHOS BRONZE	PRE-TIN
107-3. FIG.1	926893-2	926882-2	BRASS	4
107-3. FIG.1	926893-1	926882-1	BRASS	PRE-TIN

DIMENSIONS: mm 		TOLERANCES UNLESS OTHERWISE SPECIFIED: 0 PLC ±0.2 1 PLC ±0.2 2 PLC ±0.2 3 PLC ± 4 PLC ± ANGLES ±1°		DWN J.Skoda 29NOV2005 CHK R.Vlcek - APVD M.Bleicher - PRODUCT SPEC 108-1031 APPLICATION SPEC 114-18011 WEIGHT -			
MATERIAL SEE TABLE		FINISH SEE TABLE		CUSTOMER DRAWING		NAME UNIVERSAL MNL Socket 0.5-2.1 mm ² WIRE RANGE SIZE A3 CAGE CODE 00779 DRAWING NO C-926882 RESTRICTED TO	
				SCALE 5:1		SHEET 1 OF 1 REV M4	