



USB 3.0 7-Port Hub

UH700

Highlights

- Designed to charge fast
- 10x data transfer speed
- Increase the number of available ports
- Considerate design
- Protect both your devices and precious data



Designed to charge fast



10x data transfer speed



Increase the number of available ports



Considerate design



Protect both your devices and precious data

Features



Designed to charge fast

The UH700 can deliver up to 5V/1.5A output that charges 50% faster and saves up to 30% on charging time*. Fully charging a Galaxy S6 edge takes just 100 minutes with the UH700 USB Hub, whereas it takes 150 minutes with a USB Hub supporting 5V/1A output.*

*Exact charging time may vary and is subject to actual charging situations.



10x data transfer speed

Equipped with USB 3.0 ports, the UH700 can transfer a 1080p movie under 2 minutes 18 seconds, whereas it takes 7 minutes 36 seconds with a USB Hub equipped with USB 2.0 ports.



Increase the number of available ports

The UH700 is perfect for anyone who has a computer with only one or two USB ports, and wants easier access to additional ports without having to switch between devices.

* Many laptops have only one or two USB ports

* Many computers have USB ports in difficult-to-reach locations

Features



Considerate design

A dim white LED indicator on the power button helps visualize the connection status and similarly, 7 dim white LED indicators beyond each USB port also indicate whether the devices are properly connected.



Protect both your devices and precious data

UH700 has a sophisticated circuit design with multiple protections for your devices against over-heating, over-current, over-voltage and short circuit. A Built-in surge protector keeps both your devices and data safe in the process of transferring data. UH700 support USB ports hot swapping that can be safely connected and disconnected while the computer is powered on and running.

Specifications

Basic

| | |
|---------------------------|--|
| Dimensions: | 6.5 x 2.6 x 0.7 in. (165 x 65.5 x 17.5 mm) |
| Output Interface: | 7 USB 3.0 Standard A |
| Input Interface: | 1 USB 3.0 Micro B |
| Chipset: | RTS5411 |
| Supported Systems: | Windows, Mac OS X and Linux systems |
| Package Contents: | <ul style="list-style-type: none">- USB 3.0 7-Port Hub UH700- 12V & 2A Power Adapter- 1-Meter USB 3.0 Cable- Quick Installation Guide |

Others

| | |
|-----------------------|---|
| Certification: | - CE, FCC, RoHS, EAC |
| Environment: | <ul style="list-style-type: none">- Operating Temperature: 0°C~40°C (32°F~104°F)- Storage Temperature: -40°C~70°C (-40°F~158°F)- Operating Humidity: 10%~90% non-condensing- Storage Humidity: 5%~90% non-condensing |

Similar Products



UH700



UH720

Input Interface
Output Interface
Dimension
Smart Charging
Completed Safety Features
Plug and Play

1 USB 3.0 Micro B
7 USB 3.0 Standard A with 3 1.5A Charging Ports
6.5 x 2.6 x 0.7 in. (165 x 65.5 x 17.5 mm)
No
Yes
Yes

1 USB 3.0 Micro B
7 USB 3.0 Standard A, 2 2.4A Charging Ports
6.5 x 2.6 x 0.7 in. (165 x 65.5 x 17.5 mm)
Yes
Yes
Yes



For more information, please visit
http://www.tp-link.com/en/products/details/cat-4761_UH700.html
or scan the QR code on the left

www.tp-link.com

Specifications are subject to change without notice. TP-LINK is a registered trademark of TP-LINK Technologies CO., Ltd. Other brands and product names are trademarks or registered trademarks of their respective holders. No part of the specifications may be reproduced in any form or by any means or used to make any derivative such as translation, transformation, or adaptation without permission from TP-LINK Technologies Co., Ltd.